ELSEVIER

Journal of Organometallic Chemistry 654 (2002) 239

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 654

Al-Allaf, T.A.K., 21
Alvarez-Larena, A., 91
Argyropoulos, N., 117
Asami, A., 56
Ashoorzadeh, A., 140
Atwood, D.A., 36

Bastian, M., 109
Basu Baul, T.S., 100
Bau, R., 216
Beyer, C., 187
Bhaduri, S., 132
Bochmann, M., 221
Böhme, U., 187
Butcher, R., 100

Campo, J.A., 150
Cano, M., 150
Capparelli, M.V., 91
Carré, F., 210
Cea-Olivares, R., 51
Chauvin, R., 180
Chen, W., 233
Chien, J.C.W., 29
Coutouli-Argyropoulou, E., 117
Cramer, R.E., 44

Dolgushin, F.M., 123
Dong, Y., 170
Dunina, V.V., 66
Dutta, S., 100

Farran, J., 91
Fernández, J.J., 162
Fernández, A., 162
Fujihara, T., 56
Furin, G.G., 123

Gallucci, J.C., 224
García-Montalvo, V., 51
Gómez-Ortiz, L.A., 51
Guérin, C., 210

Hanson, M.J., 3
Harada, A., 74
Haukka, M., 8
Henner, B.J.L., 210
Heras, J.V., 150
Hernández-Ortega, S., 51
Herzog, M.N., 29
Ho, N.N., 216
Höpfl, H., 36

Hossain, M.M., 202
Hosseini, A., 140
Howard, J.A.K., 66

Iijima, T., 229

Jensen, C.M., 44
Jin, Z., 83
Jutzi, P., 176

Kataeva, N.A., 66
Keizer, T.S., 36
Keuseman, K.J., 66
Kim, M.Y., 170
Kinnunen, T.-J.J., 8
Kivekäs, R., 237
Klapötke, T.M., 170
Kosuge, M., 56
Kulkarni, S.A., 132
Kumakura, S., 56
Kuz'mina, L.G., 66

Lancaster, S.J., 221
Lee, H.N., 170
Li, H., 83
Liu, X., 83
López-Torres, M., 162

Maruyama, G., 56
Matsumoto, K., 233
Mayer, M.F., 202
Migchielsen, S., 1
Morales, D., 109
Morales-Morales, D., 16, 44
Mosteiro, R., 162
Mukhopadhyay, S., 132

Nakamura, A., 74
Nakayama, Y., 74
Nakayama, J., 56

Paavola, S., 237
Pakkanen, T.A., 8
Parkin, S., 36
Peterson, D.L., 66
Petrovskii, P.V., 123
Pietzsch, C., 187
Piniella, J.F., 91
Pinilla, E., 150
Plecnik, C., 216
Poli, R., 109

Rausch, M.D., 29
Redón, R., 16
Richard, P., 109
Rickard, C.E.F., 140
Rivarola, E., 100
Roewer, G., 187

Sánchez, M., 36
Sato, M., 56
Schebaum, L.O., 176
Schultz, A.J., 216
Seok, W.K., 170
Shore, S.G., 216
Shur, V.B., 123
Simons, R.S., 224
Sitzmann, H., 109
Smith, F.E., 100
Smoliakova, I.P., 66
Spiniello, M., 3
Suárez, A., 162

Takashima, Y., 74
Teixidor, F., 237
Tessier, C.A., 224
Tikhonova, I.A., 123
Torralba, M.C., 150
Torrens, H., 16
Torres, M.R., 150
Torres-Castellanos, L., 91
Tugashov, K.I., 123

Uerpmann, C., 210
Unoura, K., 56

Vázquez-García, D., 162
Viau, L., 180
Vila, J.M., 162
Viñas, C., 237

Wang, X., 216
Wang, Y., 83
Wang, Z., 16
White, J.M., 3
Woodgate, P.D., 140
Wu, B., 233

Yamaguchi, I., 229
Yamamoto, T., 229
Yang, L.-K., 140
Yasuda, H., 74
Youngs, W.J., 224
Yun, H., 170

PII: S0022-328X(02)01546-2

ELSEVIER

Journal of Organometallic Chemistry 654 (2002) 241–245

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 654

Alkoxycarbonyl substitutents
Alkoxycarbonyl substituted ruthenium mono(bipyridine) complexes: steric effects of the bipyridine substituents, 8
Alkyne ligand
Synthesis of *cis*-dichloride complexes of Group 6 transition metals bearing alkyne and chalcogen-bridged chelating bis(aryloxo) ligands as catalyst precursors for ring-opening metathesis polymerization, 74
Allylic alkylation
Allyl–palladium complexes with fluorinated benzene thiolate ligands. Examination of the electronic effects in the Pd-catalyzed allylic alkylation reaction with the catalytic system $[(\eta^3\text{-}C_3H_5)Pd(\mu\text{-}SR_f)]_2/PR_3$, 16
Allyl palladium complexes
Allyl–palladium complexes with fluorinated benzene thiolate ligands. Examination of the electronic effects in the Pd-catalyzed allylic alkylation reaction with the catalytic system $[(\eta^3\text{-}C_3H_5)Pd(\mu\text{-}SR_f)]_2/PR_3$, 16
Aluminum
Synthesis and reactivity of $Al(Et)q'_2$ (q′ = 2-methyl-8-quinolinolato) and crystal structures of $[Al(Et)_2q]_2$ and Alq'_2q (q = 8-quinolinolato), 229
Arene coordination
The reaction of $Cp^*_2ZrMe_2$ with $[CPh_3][B(C_6F_5)_4]$: triphenylethane does *not* form η^6-arene complexes with $[Cp^*_2ZrMe]^+$, 221
Asymmetric catalysis
'Diopium', a chiral phosphoniophosphine derived from Kagan's diop. Rhodium complexes and reducing catalytic properties, 180
Enantioselective synthesis of platinum group metal complexes with the chiral PCP pincer ligand *R*,*R*-{C_6H_4-2,6-$(CH_2P^*PhBu^t)_2$}. The crystal structure of *R*,*R*-PdCl{C_6H_3-2,6-$(CH_2P^*PhBu^t)_2$}, 44
Azides
A comparative study on structures and theoretical models of Rh azido complexes, 170
Aziridines
Synthesis of a new iron Lewis acid catalyst possessing a chelating cyclopentadienyldiphenylphosphinite ligand, $(\eta^5{:}\eta^1\text{-}C_5H_4CH(Ph)OPPh_2)$, 202

Binuclear
Salen-supported dinuclear and trinuclear boron compounds, 36
Binuclear complex
Synthesis and redox property of the binuclear Pt(II) complexes bridged by thieno[3,2-*b*]thiophenes, 56
Bond dissociation energy
Density functional investigation of incorporation of functional additives to neutral salicylaldiminato Ni(II) polymerization catalyst, 132
Borohydride
A neutron diffraction study of $Cp_2Ti\{(\mu\text{-}H)_2BC_8H_{14}\}$, 216
Boron
Salen-supported dinuclear and trinuclear boron compounds, 36

Bulky cyclopentadienyl ligands
Synthesis of new half sandwich tetrachloro derivatives of molybdenum(V) and tungsten(V). X-ray structures of $(C_5HPr^i_4)W(CO)_3(CH_3)$ and $(C_5Et_5)WCl_4$, 109

Carbene
Synthesis and crystal structure of *N*-heterocyclic carbene complex of silver, 233
Carboxylates
The synthesis and structural characterization of some triorganotin(IV) complexes of 2-{[(*E*)-1-(2-hydroxyaryl)alkylidene]amino}acetic acid. Crystal and molecular structures of $Ph_3Sn(2\text{-}OHC_6H_4C(H)=NCH_2COO)$ and $Me_3Sn(2\text{-}OHC_6H_4C(CH_3)=NCH_2COO)$, 100
Catalysis
Allyl–palladium complexes with fluorinated benzene thiolate ligands. Examination of the electronic effects in the Pd-catalyzed allylic alkylation reaction with the catalytic system $[(\eta^3\text{-}C_3H_5)Pd(\mu\text{-}SR_f)]_2/PR_3$, 16
Catalyst separation
Polyether phosphite for hydroformylation of higher olefins in non-aqueous system and catalyst recovery, 83
Cationic iridium(III)–silylene complex
Synthesis and characterization of the sterically hindered iridium(III)–silyl complex: $(Et_3P)_3(H)_2Ir[Si(H)Cl(C_6H_3\text{-}Mes_2\text{-}2,6)]$ and the generation of the cationic iridium(III)-silylene complex: $[(Et_3P)_3(H)_2Ir{=}Si(H)(C_6H_3\text{-}Mes_2\text{-}2,6)][B(C_6F_5)_4]$, 224
C–H activation
Cyclopalladated compounds with a bidentate [C, N]/terdentate [C, N, S] benzylidenethiophene imine ligand. Crystal and molecular structures of $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(\mu\text{-}OAc)]_2$, $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(Cl)(PPh_3)]$ and $[\{Pd[2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)](Cl)\}_2(\mu\text{-}Ph_2P(CH_2)_4PPh_2)]$, 162
Chalcogen-bridged bis(aryloxo) ligand
Synthesis of *cis*-dichloride complexes of Group 6 transition metals bearing alkyne and chalcogen-bridged chelating bis(aryloxo) ligands as catalyst precursors for ring-opening metathesis polymerization, 74
Chiral phosphines
Enantioselective synthesis of platinum group metal complexes with the chiral PCP pincer ligand *R*,*R*-{C_6H_4-2,6-$(CH_2P^*PhBu^t)_2$}. ThR,*R*-PdCl{C_6H_3-2,6-$(CH_2P^*PhBu^t)_2$}, 44
Complexes
Coordination chemistry of polymercuramacrocycles. Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with neutral oxygeneous Lewis bases, 123
Crystal structures
Preparation, characterization and properties of dipolar 1,2-*N*,*N*-dimethylaminomethylferrocenylsilanes, 187
Synthesis and reactivity of $Al(Et)q'_2$ (q′ = 2-methyl-8-quinolinolato) and crystal structures of $[Al(Et)_2q]_2$ and Alq'_2q (q = 8-quinolinolato), 229

PII: S0022-328X(02)01547-4

Synthesis, characterization and X-ray structures of bis(arytelluro)ethynes, 91
Cycloaddition
2-[(8-Dimethylaminonaphthalen-1-yl)dimethylsilyl]-*N*,*N*,4,4-tetramethyl-1,2,3,3*a*,4,5-hexahydro-4-sila-5,9*b*-ethenobenz[*e*]inde-9-amine. An unexpected by-product from the reaction of 1-lithio-8-dimethylaminonaphthalene with chlorodimethylvinylsilane, 3
Cyclometallation
Cyclopalladated compounds with a bidentate [C, N]/terdentate [C, N, S] benzylidenethiophene imine ligand. Crystal and molecular structures of $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(\mu\text{-}OAc)]_2$, $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(Cl)(PPh_3)]$ and $[\{Pd[2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)](Cl)\}_2(\mu\text{-}Ph_2P(CH_2)_4PPh_2)]$, 162
η^5:η^1-Cyclopentadienyl-phosphinite ligand
Synthesis of a new iron Lewis acid catalyst possessing a chelating cyclopentadienyldiphenylphosphinite ligand, $(\eta^5:\eta^1\text{-}C_5H_4CH(Ph)OPPh_2)$, 202

Density functional
Density functional investigation of incorporation of functional additives to neutral salicylaldiminato Ni(II) polymerization catalyst, 132
Diop
'Diopium', a chiral phosphoniophosphine derived from Kagan's diop. Rhodium complexes and reducing catalytic properties, 180
Distannoxane
Dimeric dithiocarbamates of stannolane. An example of the presence of secondary bonds in the formation of an inorganic ring. Molecular and crystal structure of 2-*n*butyl-2-(dimethyldithiocarbamate)-1,3,2-oxathiastannolane and 2-*n*butyl-2-(piperidyldithiocarbamate)-1,3,2-oxathiastannolane, 51
Dithiocarbamate
Dimeric dithiocarbamates of stannolane. An example of the presence of secondary bonds in the formation of an inorganic ring. Molecular and crystal structure of 2-*n*butyl-2-(dimethyldithiocarbamate)-1,3,2-oxathiastannolane and 2-*n*butyl-2-(piperidyldithiocarbamate)-1,3,2-oxathiastannolane, 51

2-{[(*E*)-1-(2-hydroxyaryl)alkylidene]amino}acetic acid
The synthesis and structural characterization of some triorganotin(IV) complexes of 2-{[(*E*)-1-(2-hydroxyaryl)alkylidene]amino}acetic acid. Crystal and molecular structures of $Ph_3Sn(2\text{-}OHC_6H_4C(H)=NCH_2COO)$ and $Me_3Sn(2\text{-}OHC_6H_4C(CH_3)=NCH_2COO)$, 100
Electron density
Density functional investigation of incorporation of functional additives to neutral salicylaldiminato Ni(II) polymerization catalyst, 132
Electronic effects
Allyl–palladium complexes with fluorinated benzene thiolate ligands. Examination of the electronic effects in the Pd-catalyzed allylic alkylation reaction with the catalytic system $[(\eta^3\text{-}C_3H_5)Pd(\mu\text{-}SR_f)]_2/PR_3$, 16
Ethylene polymerization catalyst
Density functional investigation of incorporation of functional additives to neutral salicylaldiminato Ni(II) polymerization catalyst, 132

Ferrocene
Preparation, characterization and properties of dipolar 1,2-*N*,*N*-dimethylaminomethylferrocenylsilanes, 187
Synthesis, structure and reactivity study of 1,1′-bis(*N*-*ter*-butyl-*N*-hydroxyamino)ferrocene, 210
Ferrocenophanes
Synthesis of unsymmetrical 1,1′-disubstituted ferrocenes. Formation of ferrocenophanes via intramolecular cycloaddition, 117
Fluorothiolate complexes
Allyl–palladium complexes with fluorinated benzene thiolate ligands. Examination of the electronic effects in the Pd-catalyzed allylic alkylation reaction with the catalytic system $[(\eta^3\text{-}C_3H_5)Pd(\mu\text{-}SR_f)]_2/PR_3$, 16
Functional additives
Density functional investigation of incorporation of functional additives to neutral salicylaldiminato Ni(II) polymerization catalyst, 132

Gallium
A novel synthetic route to pentaalkylcyclopentadienylgallium(I) compounds, 176
Green's GaI
A novel synthetic route to pentaalkylcyclopentadienylgallium(I) compounds, 176
Grignard
Synthesis, characterization and X-ray structures of bis(arytelluro)ethynes, 91
Group 6 transition metal complexes
Synthesis of *cis*-dichloride complexes of Group 6 transition metals bearing alkyne and chalcogen-bridged chelating bis(aryloxo) ligands as catalyst precursors for ring-opening metathesis polymerization, 74

HF/LANL2DZ
A comparative study on structures and theoretical models of Rh azido complexes, 170
HF/SDD calculations
A comparative study on structures and theoretical models of Rh azido complexes, 170
Homochiral cyclopalladated complexes
Homochiral cyclopalladated complexes of (*S*)-4-*tert*-butyl-2-phenyl-2-oxazoline. X-ray study of (*S*,*S*)-di-μ-chlorobis-{2-[2-(4-*tert*-butyl)oxazolinyl]phenyl-*C*′,*N*}dipalladium(II), 66
Hydroformylation
Polyether phosphite for hydroformylation of higher olefins in non-aqueous system and catalyst recovery, 83
Hydrogen transfer
'Diopium', a chiral phosphoniophosphine derived from Kagan's diop. Rhodium complexes and reducing catalytic properties, 180
Hydroxylamine
Synthesis, structure and reactivity study of 1,1′-bis(*N*-*ter*-butyl-*N*-hydroxyamino)ferrocene, 210

Imidazolium salts
Synthesis and crystal structure of *N*-heterocyclic carbene complex of silver, 233
2-Indenyl
Novel 2-indenyl *ansa*-zirconocenes for the polymerization of α-olefins, 29
Intramolecular cycloadditions
Synthesis of unsymmetrical 1,1′-disubstituted ferrocenes. Formation of ferrocenophanes via intramolecular cycloaddition, 117
Iridium(III)–silyl complex
Synthesis and characterization of the sterically hindered iridium(III)–silyl complex: $(Et_3P)_3(H)_2Ir[Si(H)Cl(C_6H_3\text{-}Mes_2\text{-}2,6)]$ and the generation of the cationic iridium(III)-silylene complex: $[(Et_3P)_3(H)_2Ir{=}Si(H)(C_6H_3\text{-}Mes_2\text{-}2,6)][B(C_6F_5)_4]$, 224
Iron Lewis acid catalyst
Synthesis of a new iron Lewis acid catalyst possessing a chelating cyclopentadienyldiphenylphosphinite ligand, $(\eta^5:\eta^1\text{-}C_5H_4CH(Ph)OPPh_2)$, 202
IR spectra
Coordination chemistry of polymercuramacrocycles. Complexation

of cyclic trimeric perfluoro-*o*-phenylenemercury with neutral oxygeneous Lewis bases, 123

Long-chain 3,5-disubstituted pyrazoles
Chemistry of Rh(I) complexes based on mesogenic 3,5-disubstituted pyrazole ligands. X-ray crystal structures of 3,5-di(4-*n*-butoxyphenyl)pyrazole (Hpz^{bp2}) and $[Rh(\mu\text{-}pz^{R,2})(CO)_2]_2$ ($R = C_6H_4OC_nH_{2n+1}$, $n = 10$, 12) compounds. Part II, 150

Mandelic acid
Planar chiral (η^6-arene)tricarbonylchromium complexes derived from mandelic acid, 140

Me_5C_5Ga
A novel synthetic route to pentaalkylcyclopentadienylgallium(I) compounds, 176

Me_4EtC_5Ga
A novel synthetic route to pentaalkylcyclopentadienylgallium(I) compounds, 176

Mesomorphic behaviour
Chemistry of Rh(I) complexes based on mesogenic 3,5-disubstituted pyrazole ligands. X-ray crystal structures of 3,5-di(4-*n*-butoxyphenyl)pyrazole (Hpz^{bp2}) and $[Rh(\mu\text{-}pz^{R,2})(CO)_2]_2$ ($R = C_6H_4OC_nH_{2n+1}$, $n = 10$, 12) compounds. Part II, 150

Metal hydride
A neutron diffraction study of $Cp_2Ti\{(\mu\text{-}H)_2BC_8H_{14}\}$, 216

Metallocene
Novel 2-indenyl *ansa*-zirconocenes for the polymerization of α-olefins, 29

2-Methyl-8-quinolinol
Synthesis and reactivity of $Al(Et)q'_2$ (q′ = 2-methyl-8-quinolinolato) and crystal structures of $[Al(Et)_2q]_2$ and Alq'_2q (q = 8-quinolinolato), 229

M–H–B bridge bond
A neutron diffraction study of $Cp_2Ti\{(\mu\text{-}H)_2BC_8H_{14}\}$, 216

Molecular structures
Synthesis, characterization and X-ray structures of bis(arytelluro)ethynes, 91

Molybdenum
Synthesis of new half sandwich tetrachloro derivatives of molybdenum(V) and tungsten(V). X-ray structures of $(C_5HPr^i_4)W(CO)_3(CH_3)$ and $(C_5Et_5)WCl_4$, 109

Mono(bipyridine) complexes
Alkoxycarbonyl substituted ruthenium mono(bipyridine) complexes: steric effects of the bipyridine substituents, 8

Mössbauer
The synthesis and structural characterization of some triorganotin(IV) complexes of 2-{[(*E*)-1-(2-hydroxyaryl)alkylidene]amino}acetic acid. Crystal and molecular structures of $Ph_3Sn(2\text{-}OHC_6H_4C(H)=NCH_2COO)$ and $Me_3Sn(2\text{-}OHC_6H_4C(CH_3)=NCH_2COO)$, 100

Mössbauer spectroscopy
Preparation, characterization and properties of dipolar 1,2-*N*,*N*-dimethylaminomethylferrocenylsilanes, 187

Neutral oxygeneous Lewis bases
Coordination chemistry of polymercuramacrocycles. Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with neutral oxygeneous Lewis bases, 123

Neutron diffraction
A neutron diffraction study of $Cp_2Ti\{(\mu\text{-}H)_2BC_8H_{14}\}$, 216

Nitrones
Synthesis of unsymmetrical 1,1′-disubstituted ferrocenes. Formation of ferrocenophanes via intramolecular cycloaddition, 117

NMR
The synthesis and structural characterization of some triorganotin(IV) complexes of 2-{[(*E*)-1-(2-hydroxyaryl)alkylidene]amino}acetic acid. Crystal and molecular structures of $Ph_3Sn(2\text{-}OHC_6H_4C(H)=NCH_2COO)$ and $Me_3Sn(2\text{-}OHC_6H_4C(CH_3)=NCH_2COO)$, 100

NMR spectra
Coordination chemistry of polymercuramacrocycles. Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with neutral oxygeneous Lewis bases, 123

1,2-*N*,*N*-Dimethylaminomethylferrocenyl
Preparation, characterization and properties of dipolar 1,2-*N*,*N*-dimethylaminomethylferrocenylsilanes, 187

Olefin polymerization
Novel 2-indenyl *ansa*-zirconocenes for the polymerization of α-olefins, 29

Organometallic synthesis
Synthesis of new half sandwich tetrachloro derivatives of molybdenum(V) and tungsten(V). X-ray structures of $(C_5HPr^i_4)W(CO)_3(CH_3)$ and $(C_5Et_5)WCl_4$, 109

Organotellurium
Synthesis, characterization and X-ray structures of bis(arytelluro)ethynes, 91

Organotin
The synthesis and structural characterization of some triorganotin(IV) complexes of 2-{[(*E*)-1-(2-hydroxyaryl)alkylidene]amino}acetic acid. Crystal and molecular structures of $Ph_3Sn(2\text{-}OHC_6H_4C(H)=NCH_2COO)$ and $Me_3Sn(2\text{-}OHC_6H_4C(CH_3)=NCH_2COO)$, 100

Organotin compounds
Reactions of organotin(IV) compounds with platinum complexes. Part(III). Reactions of $(R_2Sn)_n$, (R = Me or Ph, $n = 6$; R = Et, $n = 9$) with platinum complexes, 21

1,3,2-Oxathiastannolane
Dimeric dithiocarbamates of stannolane. An example of the presence of secondary bonds in the formation of an inorganic ring. Molecular and crystal structure of 2-^{n}butyl-2-(dimethyldithiocarbamate)-1,3,2-oxathiastannolane and 2-^{n}butyl-2-(piperidyldithiocarbamate)-1,3,2-oxathiastannolane, 51

Palladium
Cyclopalladated compounds with a bidentate [C, N]/terdentate [C, N, S] benzylidenethiophene imine ligand. Crystal and molecular structures of $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(\mu\text{-}OAc)]_2$, $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(Cl)(PPh_3)]$ and $[\{Pd[2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)](Cl)\}_2(\mu\text{-}Ph_2P(CH_2)_4PPh_2)]$, 162

PCP pincer complexes
Enantioselective synthesis of platinum group metal complexes with the chiral PCP pincer ligand *R*,*R*-$\{C_6H_4\text{-}2,6\text{-}(CH_2P^*PhBu^t)_2\}$. The crystal structure of *R*,*R*-$PdCl\{C_6H_3\text{-}2,6\text{-}(CH_2P^*PhBu^t)_2\}$, 44

Pentavalent silicon
2-[(8-Dimethylaminonaphthalen-1-yl)dimethylsilyl]-*N*,*N*,4,4-tetramethyl-1,2,3,3*a*,4,5-hexahydro-4-sila-5,9*b*-ethenobenz[*e*]indeno-9-amine. An unexpected by-product from the reaction of 1-lithio-8-dimethylaminonaphthalene with chlorodimethylvinylsilane, 3

Phosphite
Polyether phosphite for hydroformylation of higher olefins in non-aqueous system and catalyst recovery, 83

Phosphoniophosphines
'Diopium', a chiral phosphoniophosphine derived from Kagan's diop. Rhodium complexes and reducing catalytic properties, 180

Phosphorus ligands
Cyclopalladated compounds with a bidentate [C, N]/terdentate [C, N, S] benzylidenethiophene imine ligand. Crystal and molecular structures of $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(\mu\text{-}OAc)]_2$, $[Pd\{2,3\text{-}(MeO)_2C_6H_2C(H)=NCH_2(C_4H_3S)\}(Cl)$

(PPh$_3$)] and [{Pd[2,3-(MeO)$_2$C$_6$H$_2$C(H)=NCH$_2$(C$_4$H$_3$S)](Cl)}$_2$-(μ-Ph$_2$P(CH$_2$)$_4$PPh$_2$)], 162
Planar chiral
Planar chiral (η^6-arene)tricarbonylchromium complexes derived from mandelic acid, 140
Platinum complexes
Reactions of organotin(IV) compounds with platinum complexes. Part(III). Reactions of (R$_2$Sn)$_n$, (R = Me or Ph, n = 6; R = Et, n = 9) with platinum complexes, 21
^{31}P-NMR studies
Reactions of organotin(IV) compounds with platinum complexes. Part(III). Reactions of (R$_2$Sn)$_n$, (R = Me or Ph, n = 6; R = Et, n = 9) with platinum complexes, 21
Polymercuramacrocycles
Coordination chemistry of polymercuramacrocycles. Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with neutral oxygeneous Lewis bases, 123
Pt(II) complex
Synthesis and redox property of the binuclear Pt(II) complexes bridged by thieno[3,2-*b*]thiophenes, 56

8-Quinolinol
Synthesis and reactivity of Al(Et)q$'$; (q$'$ = 2-methyl-8-quinolinolato) and crystal structures of [Al(Et)$_2$q]$_2$ and Alq$'_2$q (q = 8-quinolinolato), 229

Radical
Synthesis, structure and reactivity study of 1,1′-bis(*N*-*ter*-butyl-*N*-hydroxyamino)ferrocene, 210
Redox behavior
Synthesis and redox property of the binuclear Pt(II) complexes bridged by thieno[3,2-*b*]thiophenes, 56
Rhodium
A comparative study on structures and theoretical models of Rh azido complexes, 170
Polyether phosphite for hydroformylation of higher olefins in non-aqueous system and catalyst recovery, 83
Rhodium complexes
'Diopium', a chiral phosphoniophosphine derived from Kagan's diop. Rhodium complexes and reducing catalytic properties, 180
Rhodium–pyrazolate complexes
Chemistry of Rh(I) complexes based on mesogenic 3,5-disubstituted pyrazole ligands. X-ray crystal structures of 3,5-di(4-*n*-butoxyphenyl)pyrazole (Hpz^{hp2}) and [Rh(μ-pz^{R,2})(CO)$_2$]$_2$ (R = C$_6$H$_4$OC$_n$H$_{2n+1}$, n = 10, 12) compounds. Part II, 150
Rhodium–pyrazole complexes
Chemistry of Rh(I) complexes based on mesogenic 3,5-disubstituted pyrazole ligands. X-ray crystal structures of 3,5-di(4-*n*-butoxyphenyl)pyrazole (Hpz^{hp2}) and [Rh(μ-pz^{R,2})(CO)$_2$]$_2$ (R = C$_6$H$_4$OC$_n$H$_{2n+1}$, n = 10, 12) compounds. Part II, 150
Ring-opening metathesis polymerization
Synthesis of *cis*-dichloride complexes of Group 6 transition metals bearing alkyne and chalcogen-bridged chelating bis(aryloxo) ligands as catalyst precursors for ring-opening metathesis polymerization, 74

Salen
Salen-supported dinuclear and trinuclear boron compounds, 36
Schiff bases
Cyclopalladated compounds with a bidentate [C, N]/terdentate [C, N, S] benzylidenethiophene imine ligand. Crystal and molecular structures of [Pd{2,3-(MeO)$_2$C$_6$H$_2$C(H)=NCH$_2$(C$_4$H$_3$S)}(μ-OAc)]$_2$, [Pd{2,3-(MeO)$_2$C$_6$H$_2$C(H)=NCH$_2$(C$_4$H$_3$S)}-(Cl)-(PPh$_3$)] and [{Pd[2,3-(MeO)$_2$C$_6$H$_2$C(H)=NCH$_2$(C$_4$H$_3$S)](Cl)}$_2$-(μ-Ph$_2$P(CH$_2$)$_4$PPh$_2$)], 162
Silaalkene
2-[(8-Dimethylaminonaphthalen-1-yl)dimethylsilyl]-*N*,*N*,4,4-tetramethyl-1,2,3,3*a*,4,5-hexahydro-4-sila-5,9*b*-ethenobenz[*e*]inde-9-amine. An unexpected by-product from the reaction of 1-lithio-8-dimethylaminonaphthalene with chlorodimethylvinylsilane, 3
Silicon
Preparation, characterization and properties of dipolar 1,2-*N*,*N*-dimethylaminomethylferrocenylsilanes, 187
Silicon β effect
2-[(8-Dimethylaminonaphthalen-1-yl)dimethylsilyl]-*N*,*N*,4,4-tetramethyl-1,2,3,3*a*,4,5-hexahydro-4-sila-5,9*b*-ethenobenz[*e*]inde-9-amine. An unexpected by-product from the reaction of 1-lithio-8-dimethylaminonaphthalene with chlorodimethylvinylsilane, 3
Silver complex
Synthesis and crystal structure of *N*-heterocyclic carbene complex of silver, 233
Stannylenes
Reactions of organotin(IV) compounds with platinum complexes. Part(III). Reactions of (R$_2$Sn)$_n$, (R = Me or Ph, n = 6; R = Et, n = 9) with platinum complexes, 21
Stereo selectivity
Synthesis of *cis*-dichloride complexes of Group 6 transition metals bearing alkyne and chalcogen-bridged chelating bis(aryloxo) ligands as catalyst precursors for ring-opening metathesis polymerization, 74
Sterically hindered
Synthesis and characterization of the sterically hindered iridium(III)–silyl complex: (Et$_3$P)$_3$(H)$_2$Ir[Si(H)Cl(C$_6$H$_3$-Mes$_2$-2,6)] and the generation of the cationic iridium(III)-silylene complex: [(Et$_3$P)$_3$(H)$_2$Ir=Si(H)(C$_6$H$_3$-Mes$_2$-2,6)][B(C$_6$F$_5$)$_4$], 224
Steric effects
Alkoxycarbonyl substituted ruthenium mono(bipyridine) complexes: steric effects of the bipyridine substituents, 8
Steric promotion of C–H bond activation
Homochiral cyclopalladated complexes of (*S*)-4-*tert*-butyl-2-phenyl-2-oxazoline. X-ray study of (*S*,*S*)-di-μ-chlorobis-{2-[2-(4-*tert*-butyl)oxazolinyl]phenyl-*C*,*N*}dipalladium(II), 66
(*S*)-4-*tert*-Butyl-2-phenyl-2-oxazoline
Homochiral cyclopalladated complexes of (*S*)-4-*tert*-butyl-2-phenyl-2-oxazoline. X-ray study of (*S*,*S*)-di-μ-chlorobis-{2-[2-(4-*tert*-butyl)oxazolinyl]phenyl-*C*,*N*}dipalladium(II), 66

Telluroethynes
Synthesis, characterization and X-ray structures of bis(arytelluro)ethynes, 91
Thieno[3,2-*b*]thiophene
Synthesis and redox property of the binuclear Pt(II) complexes bridged by thieno[3,2-*b*]thiophenes, 56
Thiophenes-bridging
Synthesis and redox property of the binuclear Pt(II) complexes bridged by thieno[3,2-*b*]thiophenes, 56
Tin(IV)
Dimeric dithiocarbamates of stannolane. An example of the presence of secondary bonds in the formation of an inorganic ring. Molecular and crystal structure of 2-^{n}butyl-2-(dimethyldithiocarbamate)-1,3,2-oxathiastannolane and 2-^{n}butyl-2-(piperidyldithiocarbamate)-1,3,2-oxathiastannolane, 51
Titanium
A neutron diffraction study of Cp$_2$Ti{(μ-H)$_2$BC$_8$H$_{14}$}, 216
Tricarbonylchromium
Planar chiral (η^6-arene)tricarbonylchromium complexes derived from mandelic acid, 140
Trinuclear
Salen-supported dinuclear and trinuclear boron compounds, 36
Triphenylmethyl cation
The reaction of Cp*$_2$ZrMe$_2$ with [CPh$_3$][B(C$_6$F$_5$)$_4$]: triphenylethane does *not* form η^n-arene complexes with [Cp*$_2$ZrMe]$^+$, 221

Tungsten
Synthesis of new half sandwich tetrachloro derivatives of molybdenum(V) and tungsten(V). X-ray structures of $(C_5HPr^i_4)W(CO)_3(CH_3)$ and $(C_5Et_5)WCl_4$, 109
Turnover frequency
Density functional investigation of incorporation of functional additives to neutral salicylaldiminato Ni(II) polymerization catalyst, 132

Unsymmetrical disubstituted ferrocenes
Synthesis of unsymmetrical 1,1′-disubstituted ferrocenes. Formation of ferrocenophanes via intramolecular cycloaddition, 117

X-ray
Synthesis, structure and reactivity study of 1,1′-bis(*N*-*ter*-butyl-*N*-hydroxyamino)ferrocene, 210
The synthesis and structural characterization of some triorganotin(IV) complexes of 2-{[(*E*)-1-(2-hydroxyaryl)alkylidene]amino}acetic acid. Crystal and molecular structures of $Ph_3Sn(2\text{-}OHC_6H_4C(H)=NCH_2COO)$ and $Me_3Sn(2\text{-}OHC_6H_4C(CH_3)=NCH_2COO)$, 100
X-ray structure
Dimeric dithiocarbamates of stannolane. An example of the presence of secondary bonds in the formation of an inorganic ring. Molecular and crystal structure of 2-^{n}butyl-2-(dimethyldithiocarbamate)-1,3,2-oxathiastannolane and 2-^{n}butyl-2-(piperidyldithiocarbamate)-1,3,2-oxathiastannolane, 51
Synthesis of new half sandwich tetrachloro derivatives of molybdenum(V) and tungsten(V). X-ray structures of $(C_5HPr^i_4)W(CO)_3(CH_3)$ and $(C_5Et_5)WCl_4$, 109
X-ray structure analysis
Coordination chemistry of polymercuramacrocycles. Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with neutral oxygeneous Lewis bases, 123
X-ray structures
Chemistry of Rh(I) complexes based on mesogenic 3,5-disubstituted pyrazole ligands. X-ray crystal structures of 3,5-di(4-*n*-butoxyphenyl)pyrazole ($Hpz^{bp\text{-}2}$) and $[Rh(\mu\text{-}pz^{R,2})(CO)_2]_2$ ($R = C_6H_4OC_nH_{2n+1}$, $n = 10, 12$) compounds. Part II, 150
Synthesis and crystal structure of *N*-heterocyclic carbene complex of silver, 233
X-ray study
Homochiral cyclopalladated complexes of (*S*)-4-*tert*-butyl-2-phenyl-2-oxazoline. X-ray study of (*S*,*S*)-di-μ-chlorobis-{2-[2-(4-*tert*-butyl)oxazolinyl]phenyl-*C*,*N*}dipalladium(II), 66

Zirconium
Novel 2-indenyl *ansa*-zirconocenes for the polymerization of α-olefins, 29
Zirconocene cations
The reaction of $Cp^*_2ZrMe_2$ with $[CPh_3][B(C_6F_5)_4]$: triphenylethane does *not* form η^n-arene complexes with $[Cp^*_2ZrMe]^+$, 221